

China
National Olympiad
2015

Day 1

- 1] Let z_1, z_2, \dots, z_n be complex numbers satisfying $|z_i - 1| \leq r$ for some r in $(0, 1)$. Show that

$$\left| \sum_{i=1}^n z_i \right| \cdot \left| \sum_{i=1}^n \frac{1}{z_i} \right| \geq n^2(1 - r^2).$$

- 2] Let A, B, D, E, F, C be six points lie on a circle (in order) satisfy $AB = AC$. Let $P = AD \cap BE, R = AF \cap CE, Q = BF \cap CD, S = AD \cap BF, T = AF \cap CD$. Let K be a point lie on ST satisfy $\angle QKS = \angle ECA$.

Prove that $\frac{SK}{KT} = \frac{PQ}{QR}$

- 3] Let $n \geq 5$ be a positive integer and let A and B be sets of integers satisfying the following conditions:

i) $|A| = n, |B| = m$ and A is a subset of B ii) For any distinct $x, y \in B, x + y \in B$ iff $x, y \in A$

Determine the minimum value of m .

China
National Olympiad
2015

Day 2

- 1 Determine all integers k such that there exists infinitely many positive integers n satisfying

$$n + k \nmid \binom{2n}{n}$$

- 2 Given 30 students such that each student has at most 5 friends and for every 5 students there is a pair of students that are not friends, determine the maximum k such that for all such possible configurations, there exists k students who are all not friends.
- 3 Let a_1, a_2, \dots be a sequence of non-negative integers such that for any m, n

$$\sum_{i=1}^{2m} a_{in} \leq m$$

Show that there exist k, d such that

$$\sum_{i=1}^{2k} a_{id} = k - 2014$$